



## **GRIDDLE, SMOOTH, 400MM**

**Model: FTL-4 ETSX** 

Article no: 1696031304

Power supply: 440V 3Ph ~60Hz

The griddles/grills are manufactured in three widths with tops in three designs - smooth, ribbed or smooth/ribbed tops of steel or chrome steel. The tops have raised edges and a fat drainage hole for excessive fat that collects in a fat tray which is emptied from the front. The griddles/grills are made of stainless steel. The front panel has clear and easily accessible controls. The sides of the griddles/grills are smooth and easy-to-clean.

The griddles/grills are connected to the mains supply at the rear using the supplied 1.5 meter cable. The griddles/grills can be positioned with the rear directly against a fireproof wall. A stainless steel floor cabinet with adjustable legs, doors and drawers is also available. The floor cabinet can be fitted with guide racks and grid shelves for Gastro-Norm 1/1. For further specifications of the different models and optional extras.

## **MAIN FEATURES**

- Stainless Steel
- Thermostat Controlled
- Hygienic Design
- Three Sizes

FTL-4 ETSX, 1696031304 27-09-22 (12:08)

Model Number Specific	FTL-4 ETSX	
Voltage (V)	440	
Phase	3	
Frequency (Hz)	60	
Loading (kW)	4,5	
Max Amps in Phase (A)	10	
IP Class	X5	
Width, net (mm)	400	
Depth, net (mm)	600	
Height, net (mm)	415	
Weight, net (kg)	36	
Weight, gross (kg)	40	
Volume, net (m3)	0,1	
Volume, gross (m3)	0,13	
Connection Cable, lenght (m)	0	
Plug type	None	
Product brand	Lotus	
Certifications	CE	
Cooking surface, dimensions (mm)	360x560	
Griddle/Grill, type	Smooth, Chrome plated	
Installation, type	Top model	




169604





## SIDE 110 290 76 446 78 15



1. Electrical connection (1,5 m cable included)

## **SPECIFICATION**

Model	Model Type	Frying plate	
туре	version	size mm	
16 96 00	FTL4ETX	smooth	360 x 560
16 96 01	FTL6ETX		560 x 560
16 96 10	FT L8ET X		60 x 560
16 96 02	FTR4ETX	ribbed	360 x 560
16 96 06	FTR6ETX		560 x 560
16 96 05	FTLR6ETX	1/2 smooth and 1/2 ribbed	560 x 560
16 96 11	FTLR8ETX		760 x 560
16 96 03	FT L4ET SX	smooth chrome plated	360 x 560
16 96 07	FTL6ETSX		560 x 560
16 96 12	FT L8ET SX		760 x 560
16 96 04	FTR4ETSX	ribbed chrome plated	360 x 560
16 96 09	FTR6ETSX		560 x 560
16 96 08	FT LR6ET SX	1/2 smooth and 1/2 ribbed chrome plated	
16 99 33	FT LR8ET SX		760 x 560