



MEAT TENDERIZER INT 90E

Model: INT 90E

Article no: L16063

Power supply: 230V 1Ph ~50Hz

This meat tenderizer has a fan cooled motor with an electric overload protection. The precision worm and gear drive are sealed in oil for quiet, trouble-free running. The sophisticated cutting group is with two knife rollers, hard stainless steel blades and totally 1144 cutting edges. The knife cover is made of transparent polycarbonate Perspex. The roller cover's high mouth position, the blade stopping device when cover is lifted up and the enclosure under the blades mean an utmost protection of the operator's hands. The carefully designed machine housing has smooth, high polished surfaces. This and the easy removable cutting group in stainless steel, with all components dismountable, offer facilitated cleaning. Thanks to the anodized aluminium alloy construction, it is also highly resistant against moisture, acids, salts and similar chemicals. Electrical protection class of the entire machine is IP55. A possibility of using the tenderizer on three sides and minimized outer dimensioned give the advantage of small space need. For further specifications, please see overleaf.

MAIN FEATURES

- Long-Life use Construction
- High-Efficient Cutting Device in Stainless Steel
- Safe Operation
- Easy to Clean
- Small Space Need

INT 90E, L16063
17-01-24 (07:28)

TECHNICAL DATA

INT 90E, L16063, 17-01-24 (07:28)

Model Number Specific	INT 90E
Voltage (V)	230
Phase	1
Frequency (Hz)	50
Loading (kW)	0,4
IP Class	55
Width, net (mm)	200
Depth, net (mm)	450
Height, net (mm)	430
Weight, net (kg)	23
Weight, gross (kg)	26
Volume, net (m3)	0,04
Volume, gross (m3)	0,05
Noise level <(dB)	70

Loipart AB (HQ), **Sweden**
Tel. +46 313 920 100, loipart@loipart.se

LMG Finland oy, **Finland**
+358 40 664 6680, lmg@lmg.fi



Loipart USA inc, **USA**
Tel. +1 954 530 5276, loipartusa@loipart.com

Loipart SEA Pte Ltd, **Singapore**
Tel. +65 674 99 100, contact@loipart.sg

Visit us at www.loipart.com

DIMENSIONS

Model: 51749 Rev. 1

