



PLANETARY MIXER 5L WITH HUB

Model: BE5BYA

Article no: 600193

Power supply: 230V 1Ph ~50/60Hz

Professional compact table top beater mixer for intensive kneading, mixing and whipping operations. Body in non-corrosive material with 5 liter 18/10 (AISI 304) stainless steel bowl. Powerful asynchronous motor with electronic speed variation from 20 to 220 rpm (planetary movement). Bowl detection device allows the mixer to switch on only when the bowl and the safety screen are properly installed and positioned together. Removable and dismantled solid safety screen - made of a bisphenol-A free (BPA) copolyester.

MAIN FEATURES

- Maximum capacity 1.5 kg (cold water paste 60% hydration).
- Suitable for 10-50 meals per service.
- Removable BPA-free wire safety screen.
- Electronic speed variator.
- Removable safety screen activates the raising and lowering of the bowl.
- Bowl detection device.
- Supplied with spiral hook, paddle and whisk.

BE5BYA, 600193
15-01-24 (14:22)

Subject to change without notice
For correct installation, refer to the installation manual

TECHNICAL DATA

BE5BYA, 600193, 15-01-24 (14:22)

Model Number Specific	BE5BYA
Voltage (V)	230
Phase	1
Frequency (Hz)	50/60
Loading (kW)	0,45
Fuse (A)	10
IP Class	55
Capacity (L)	5
Capacity (kg)	1,5
Width, net (mm)	265
Depth, net (mm)	420
Height, net (mm)	490
Weight, net (kg)	17
Weight, gross (kg)	19
Volume, net (m3)	0,09
Volume, gross (m3)	0,12
Connection Cable, length (m)	2
Plug type	Schuko
Attachment drive	Yes
Installation, type	Table top model
Mixer, type	Planetary
Noise level <(dB)	71,1

INCLUDED IN DELIVERY

Spiral hook, wire whisk, paddle (and mixing bowl 5 L).

Loipart AB (HQ), **Sweden**
Tel. +46 313 920 100, loipart@loipart.se

LMG Finland oy, **Finland**
+358 40 664 6680, lmg@lmg.fi



Loipart USA inc, **USA**
Tel. +1 954 530 5276, loipartusa@loipart.com


Loipart SEA Pte Ltd, **Singapore**
Tel. +65 674 99 100, contact@loipart.sg

Visit us at www.loipart.com


DIMENSIONS

Model: BE5BYA Rev. 1

SIDE



FRONT



TOP

