





## **VEGETABLE PEELER, 5KG**

**Model: T5S** 

**Article no: 601218** 

Power supply: 230V 1Ph ~50-60Hz

The peeling machine is to be used as equipment for vegetables preparation allowing to carry out different activities with the same tool like washing, scrubbing and peeling. It is made of stainless steel with a transparent removable lid in special high resistant plastic. The rotating plate is covered with a special abrasive lava stone material guaranteeing a high quality finish to the peeled vegetables and a practically unlimited lifespan.

When peeling is finished the products are channelled out through the hatch when manually activating the disc rotation.

An interlocking safety magnetic devices will stop the machine from operating when the lid or door is opened. Simple control panel with ON/OFF buttons and timer.

## **MAIN FEATURES**

- Supplied with an abrasive plate.
- Removable rotating plate.
- Easy to empty peeled products through the chute.
- Magnetic detectors will stop the machine from operating when the lid and/or door are opened.
- Suitable for 30-100 meals per service.

T5S, 601218 17-01-24 (07:31) **TECHNICAL DATA**75S, 601218, 17-01-24 (07:31)

Model Number Specific	T5S
Voltage (V)	230
Phase	1
Frequency (Hz)	50-60
Loading (kW)	0,12
IP Class	34
Capacity (kg)	5
Capacity, max (kg/h)	80
Width, net (mm)	314
Depth, net (mm)	485
Height, net (mm)	450
Weight, net (kg)	17
Weight, gross (kg)	21
Volume, net (m3)	0,1
Volume, gross (m3)	0,13
Connection Cable, length (m)	1
Plug type	Schuko
Cold water inlet, diameter (")	1/2
Meals per service (pcs)	100
Noise level <(dB)	72


## **INCLUDED IN DELIVERY**


653182 - Abrasive peeling disc for 5 kg veg. peeler



FRONT SIDE

- 1. ON/OFF switch with timer.
- 2. Electrical connection.
- 3. Water connection 1/2".
- 4. Drain Ø 47 mm.
- 5. Drain Ø 50 mm with drain hose.
- 6. S/S filter table optional extra.





TOP DETAIL OF FOOT S/S FILTER BASE

